EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1770238	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 14:04
S4	225	S3 and (query or queries or querying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 14:10
S6	0	S5 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 15:29
S7	76	S5 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 16:18
S8	2	"20030046311" and (stor$3 or cach$3 or sav$3 or query or result$1 or match$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:02
S11	0	"20020103806" and off?line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:18
S10	1	"20030014399" and off?line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:18
S13	1	"20020103806" and offline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:19
S12	2	"20020103806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:19
S9	2	"20030055828" and (stor$3 or cach$3 or sav$3 or query or result$1 or off?line or match$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:26

S14	2	"20020065800" and (stor$3 or cach$3 or sav$3 or query or result$1 or off?line or match$3 or offline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:33
S17	1	"20040001104" and list$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:06
S18	2	"20040001104" and (time$1 or threshold or pre?set or preset or period$1 or updat$3 or timely or periodically or regular$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:10
S19	2	"20030046311" and (time$1 or threshold or pre?set or preset or period$1 or updat$3 or timely or periodically or regular$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:13
S20	1	"20030101286" and (compar$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:42
S23	2	"20030046311" and index$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:57
S22	16	S21 and (compar$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:01
S24	1	"7082428".pn. and (compar$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:09
S28	287	S27 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:11
S30	31	S29 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:12

S25	0	"20030046311" and expir$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:13
S32	0	"20060010150" and display$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:29
S31	1	"20060010150" and expir$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:29
S33	1	"20060010150" and user$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:13
S36	11	S35 and ((off?line or offline) with accessible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:15
S35	131	S34 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:15
S37	4	"814069".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:55
S39	5376	"20040001104"and ((previously with quer$3) and (result$1 or set$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:56
S38	2	"20040001104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:56
S41	1	"20040001104" and determin$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:36
S40	1	"20040001104" and ((previously with quer$3) and (result$1 or set$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:36

S52	2	"20030191828" and ((determin$4 near6 (query $3)) near6 (enter$3 or receiv $3 or obtain$3) with (previous$2 or before or last)) and (portion$1 or results$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:54
S55	2	"20030220913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:55
S53	4940956	"2003" 0220913and ((determin$4 near6 (query $3)) near6 (enter$3 or receiv $3 or obtain$3) with (previous$2 or before or last)) and (portion$1 or results$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:55
S56	2	"20030220913" and (determin $4 or query$3 or enter$3 or receiv$3 or obtain$3 or previous$2 or before or last or portion$1 or results$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:41
S58	1	"20030220913" and expand $3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:49
S57	2	"20030220913" and (document$1 or article$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:49
S54	0	"20030220913" and ((determin$4 near6 (query $3)) near6 (enter$3 or receiv $3 or obtain$3) with (previous$2 or before or last)) and (portion$1 or results$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 13:11
S3	498	S2 and (cach$3 or stor$3 or sav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:18
S59	2	"20030220913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:20

S60	2	"20030046311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:25
S61	2	"7082428".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:27
S62	3	"20040001104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:30
S64	2	"20060010150"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:35
S63	3	"20040267813"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:35
S69	1085	(previous$2 near3 quer$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S68	259	((offline or off?line) near3 search$3) and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S67	317	((offline or off?line) near3 search$3) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S66	288	((offline or off?line) near3 search$3) and @prad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S5	379	((offline or off?line) near3 search$3) and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S2	586	((offline or off?line) near3 search$3) and @ad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13

S74	4	((previous$2 near3 quer$3) near5 entered) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S73	39	((previous$2 near3 quer$3) near5 entered) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S72	4	((previous$2 near3 quer$3) near5 entered) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S71	39	((previous$2 near3 quer$3) near5 entered) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S70	336	(previous$2 near3 quer$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S21	56	((previous$2 near3 quer$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S16	56	((previous$2 near3 quer$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S15	2016	(previous$2 near3 quer$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S78	1681	(expir$5 near5 data) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S77	2317	(expir$5 near5 data) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S76	2792	(expir$5 near5 (data or information)) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15

S75	4311	(expir$5 near5 (data or information)) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S27	4273	(expir$5 near5 data) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S26	7305	(expir$5 near5 (data or information)) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S81	1321	(determin$3 with (off?line or offline)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S80	102	(determin$3 near5 (expir$5 near5 data)) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S79	224	(determin$3 near5 (expir$5 near5 data)) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S29	351	(determin$3 near5 (expir$5 near5 data)) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S85	176	(determin$4 near6 (search$3 or query$3) with (previous$2 or before or last) with (enter $3 or receiv$3 or obtain$3)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S84	237	(determin$4 near6 (search$3 or query$3) with (previous$2 or before or last) with (enter $3 or receiv$3 or obtain$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S83	783	(determin$3 with (off?line or offline)) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S47	463	(determin$4 near6 (search$3 or query$3) with (previous$2 or before or last) with (enter $3 or receiv$3 or obtain$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17

S34	2677	(determin$3 with (off?line or offline)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S89	860	(determin$4 near6 (search near5 result$1)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S88	785	(determin$4 near6 (search near5 result$1)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S87	1305	(determin$4 with (search near5 result$1)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S86	1124	((determin$4 with (search near5 result$1)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S43	1567	((determin$4 near6 (search near5 result$1)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S42	2247	((determin$4 with (search near5 result$1)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S95	19	(determin$4 with (search near5 result$1) with (previous $2 or before or last) with (enter$3 or receiv$3 or obtain $3 or execut$3)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S94	14	(determin$4 with (search near5 result$1) with (previous $2 or before or last) with (enter$3 or receiv$3 or obtain $3 or execut$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S93	83	((determin$4 near6 (search$3 or query$3) near6 (previous $2 or before or last) with (enter$3 or receiv$3 or obtain $3)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19

S92	149	((determin$4 near6 (search$3 or query$3)) near6 (previous $2 or before or last) with (enter$3 or receiv$3 or obtain $3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S91	442	(determin$4 with (search$3 or query$3) with (previous$2 or before or last) with (enter $3 or receiv$3 or obtain$3 or execut$3)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S90	460	determin$4 with (search$3 or query$3) with (previous$2 or before or last) with (enter $3 or receiv$3 or obtain$3 or execut$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S49	260	((determin$4 near6 (search$3 or query$3)) near6 (previous $2 or before or last) with (enter$3 or receiv$3 or obtain $3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S45	988	(determin$4 with (search$3 or query$3) with (previous$2 or before or last) with (enter $3 or receiv$3 or obtain$3 or execut$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S44	33	(determin$4 with (search near5 result$1) with (previous $2 or before or last) with (enter$3 or receiv$3 or obtain $3 or execut$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S98	237	((determin$4 near6 (search$3 or query$3)) with (previous $2 or before or last) with (enter$3 or receiv$3 or obtain $3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S97	94	((determin$4 near6 (search$3 or query$3)) near6 (enter$3 or receiv$3 or obtain$3) with (previous$2 or before or last)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S96	161	((determin$4 near6 (search$3 or query$3)) near6 (enter$3 or receiv$3 or obtain$3) with (previous$2 or before or last)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S50	294	((determin$4 near6 (search$3 or query$3)) near6 (enter$3 or receiv$3 or obtain$3) with (previous$2 or before or last)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20

S48	463	((determin$4 near6 (search$3 or query$3)) with (previous $2 or before or last) with (enter$3 or receiv$3 or obtain $3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S102	14	((determin$4 near6 (query $3)) near6 (enter$3 or receiv $3 or obtain$3) with (previous$2 or before or last)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S100	377	(determin$4 with (search$3 or query$3) with (previous$2 or before or last) with (enter $3 or receiv$3 or obtain$3)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S99	407	(determin$4 with (search$3 or query$3) with (previous$2 or before or last) with (enter $3 or receiv$3 or obtain$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S51	109	((determin$4 near6 (query $3)) near6 (enter$3 or receiv $3 or obtain$3) with (previous$2 or before or last)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S46	838	(determin$4 with (search$3 or query$3) with (previous$2 or before or last) with (enter $3 or receiv$3 or obtain$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S105	0	S66 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:40
S65	389	((offline or off?line) near3 search$3) and @rlad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:40
S108	15	S67 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S107	1	S67 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41

S106	9	S66 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S104	18	S65 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S103	1	S65 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S101	60	(((determin$4 near6 (query $3)) near6 (enter$3 or receiv $3 or obtain$3) with (previous$2 or before or last)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:45
S109	42	((((part$1 or percentage$3 or portion$1) near3 (result$1 or output)) near5 (valid or correct or right)) with (stor$3 or cach$3 or receiv$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:52
S111	104	((search$3 near5 result$1) near5 valid) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:57
S110	17	((((part$1 or percentage$3 or portion$1) near3 (result$1 or output)) near5 (valid or correct)) with (stor$3 or cach $3 or receiv$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:57
S113	0	(((search$3 near5 result$1) near5 valid) near5 portion $1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:58
S112	866780	(((search$3 near5 result$1) near5 valid) portion$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:58
S114	6	(((search$3 near5 result$1) near5 valid) with portion$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:59

S116	58	(((result$1) near5 valid) with portion$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:01
S115	8	(((stor$3 near5 result$1) near5 valid) with portion$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:10
S117	11	(((search$3 near5 result$1) near5 valid) same portion $1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:15
S118	941399	(result$1 near5 valid near5 portion$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:16
S119	39	(result$1 near5 valid near5 portion$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:19
S120	52	(result$1 near5 valid near5 (portion$1 or percent$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:20
S121	13	(result$1 near5 valid near5 (percent$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:22
S123	2	"20060120499"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:34
S122	8	((stor$3 or cach$3) near5 search$3 near5 result$1 near6 valid) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:34
S124	2	"20030220913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:04
S126	4	"7006588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:08

S125	5	"7006588"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:08
S128	5	S127 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 09:59
S127	55	(result$1 near5 valid near5 (portion$1 or percent$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 09:59
S130	241	S129 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 10:00
S129	893	(determin$4 near6 (search near5 result$1)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 10:00
S131	1	"20050027745" and (searched or stored or (determin$3 with search$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 11:52
S132	3	"20050091211" and (stor$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:04
S134	721	((stor$3 with result$1 with search$3) same (compar$3 or valida$4 or match$3 or accuracy or previous$2)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:13
S133	2994	(stor$3 same result$1 same search$3 same (compar$3 or valida$4 or match$3 or accuracy or previous$2)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:13
S135	4	"814069".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:41

S136	130	((stor$3 with result$1 with search$3) same (compar$3 or valida$4 or match$3 or accuracy or previous$2) same (portion$1 or part$1 or partial$2)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 11:26
S137	124	((stor$3 with result$1 with search$3) same (compar$3 or valida$4 or match$3 or accuracy or previous$2) same (portion$1 or part$1)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 11:29
L1	2	"20030212669" and ((result $1 with previous$2) or stor$3 or matching$3 or part$1 or portion$1 or search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 12:59
L2	2	"20030163453" and ((result $1 with previous$2) or stor$3 or matching$3 or part$1 or portion$1 or search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:05
L3	2	"7054860".pn. and ((result$1 with previous$2) or stor$3 or matching$3 or part$1 or portion$1 or search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:10
L4	2	"7277881".pn. and ((result$1 with previous$2) or stor$3 or matching$3 or part$1 or portion$1 or search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:38
L5	2	"6708162".pn. and ((result$1 with previous$2) or stor$3 or matching$3 or part$1 or portion$1 or search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:48
L6	2	"5933823".pn. and ((result$1 with previous$2) or stor$3 or matching$3 or part$1 or portion$1 or search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 14:12

6/20/2008 2:38:09 PM
C:\ Documents and Settings\ dmyint\ My Documents\ EAST\ Workspaces\ 10-814-069__1.wsp